



AOTX.S1871 Local Alarm Units

[Page Bottom](#)

Local Alarm Units

[See General Information for Local Alarm Units](#)

BOSCH SECURITY SYSTEMS INC

S1871

130 Perinton Pkwy
Fairport, NY 14450-9107 USA

Model D8108A or D8108AH, Enclosure accessory D8004 Transformer Enclosure, B8103 and D8103 Enclosure, B12 Mounting Plate subassembly, D125B Powered Loop Interface, D-105-BL End of Line Resistor Subassembly, D8129 Octo-Relay, D8130 Release Module, D8132 Booster Power Supply and D8132LT + + +.

Zonex subsystem, consisting of D8125 Zone Expansion Module, B299 Popex Module, D9127T, D9127U POPIT Modules.

Burglar alarm system control unit accessory, Model D640 Zone Expander Module.

Combination control units, Models D2212B, D2212BE may be followed by suffix "LT" intended for use with other separately Listed devices as indicated in the instructions and wiring diagram; Models D2212B, D2212BE are suitable for use with the model C900V2 dialer capture module.

Control unit subassemblies, Models D2212B, D2212BE followed by suffix "LC".

Control unit accessories, Models D202A, D220A, D222A, D223A, may be suffixed by TD keypads; Models D621, D621B, D621W, D623, D623B, D623W, D625, D625B, D625W keypads for use with control panels indicated in the installation instructions.

Burglar alarm system control unit accessories, Models D720 and D1255, may be followed by suffixes R, TD, or W, for use with control panels indicated in the installation instructions (Covered under S5579); Models D1260, D1260B, D1260R, D1260W, D1260BLK.

Burglar alarm system control unit subassembly, Model ICP-SDI-9114, for use with control panels and keypads indicated in the installation instructions.

Burglar alarm system control unit accessories, Models D133, D134 relay modules.

Burglar alarm system control unit accessories, Models D208, D8128D zone expansion module.

Burglar alarm system control unit subassemblies, Model D208LC zone expansion module.

Models D9412GV2, D7412GV2, D7212GV2, D9412GV3, D7412GV3, D7212GV3, D9412GV4, D7412GV4, D7212GV4 DACT Units suitable for use in Mercantile Premise and Mercantile Safe and Vault Applications when used with the D8108A, or D8108AH, attack resistant enclosure and a Listed local sounding device. Also for use with Models D1255, D1256 and D1257, Command Centers, modules and subassemblies referenced in the manufacturer's operation and installation manual. In addition, D9112B/D7212B are suitable for bank safe and vault applications when used in conjunction with the Listed Model 5110 Electronic Sounding Device by Rothenbuhler Engineering, the Listed Model 4001-42 Balanced Line Module by Rothenbuhler Engineering, two Model D126 Batteries by Radionics, two Model D1218 Batteries by Radionics, one Model D133 Relay Module by Radionics, the Model D122L Battery Harness by Radionics and two Model D8108A or D8108AH, enclosures; Model D8125 MUX Expansion Module.

Control units, Models B3512(+4), B4512(+4) and B5512(+4), suitable for use in Mercantile Premise and Mercantile Safe and Vault Applications when used with the D8108A attack resistant enclosure and a Listed local sounding device. Also for use with modules and subassemblies referenced in the manufacturer's operation and installation manual. The control units are suitable for Bank Safe and Vault applications when used in conjunction with the Listed Model 5110 Electronic Sounding Device by Rothenbuhler Engineering, the Listed Model 4001-42 Balanced Line Module by Rothenbuhler Engineering, one Model D1218 battery.

Control units, Models B8512G(+9), B8512G-E(+9), B9512G (+9) and B9512G-E(+9), suitable for use in Mercantile Premise and Mercantile Safe and Vault Applications when used with the D8108A attack resistant enclosure and a Listed local sounding device. Also for use with modules and subassemblies referenced in the manufacturer's operation and installation manual. The control units are suitable for Bank Safe and Vault applications when used in conjunction with the Listed Model 5110 Electronic Sounding Device by Rothenbuhler Engineering, the Listed Model 4001-42 Balanced Line Module by Rothenbuhler Engineering, one Model D1218 battery

Control unit accessories, Models B915, B920, B921C, B921CW, B925F, B926F, B930, B942 and B942W keypads; Model B56 keypad surface mount box

Burglar alarm system control unit accessories, Models D9210B, D9210BC, D9210BLC access control modules.

Burglar alarm system control unit modules, Models SC-4000D, SC-4000DSC, SC-4000 Guard Unit (Covered under S5579).

Burglar alarm system control unit subassembly, Model LS-500 Line Simulator (Covered under S5579).

RF receiving systems, Models SC-9000, SC-9001.

Battery supervision modules, Model D113 (Covered under S5579).

Models D4412, D4412LT, D6412, D6412LT. Units suitable for use in Mercantile Premise and Mercantile Safe and Vault Applications when used with the Model D8108A or D8108AH, attack resistant enclosure, a Listed local sounding device and off-premise transmission. Also for use with Models D621, D623, D625 Command Centers, modules and subassemblies referenced in the manufacturer's operation and installation manual. Suitable for bank safe and vault applications when used in conjunction with the Listed Model S110 Sounding Device by Rothenbuhler. Suitable for use with the model C900V2 dialer capture module.

Burglar alarm system control unit accessories, printer interface, Model D9131A. For use with Radionics products where referenced in the installation instructions.

Burglar alarm system control unit accessory, RF Receiver, Model RF3224. Suitable for use with transmitters indicated in the installation instructions.

Burglar alarm system control unit subassemblies, Models D6412LC, D6412M, D4412LC, D4412M, DX2010, DX3010.

Enclosure, Model ULPS (+).

Burglar alarm system control unit subassembly, GPRS/GSM IP Communicator, Model ITS-DX4020-G (++).

Communicator interface module, Model B450(+5).

Control unit accessory, Model ISW-D8125CW-V2 (++++) wireless Interface module for use with separately Listed ISW-EN-4200 Wireless Inovonics RF Receiver. Compatible with control panels D9412GV3/D7412GV3/D7212GV3, D9412GV2/D7412GV2, D7212GV2, D9412GV4, D7412GV4, D7212GV4.

Control unit subassembly, Ethernet Module, Model B420(+) (Covered under S5579).

Control unit subassembly, DACT Model B430 and Zone Module, Model B201.(+6).

Control unit subassemblies, Models B901 Access Control Module, B600 Zonex Module.

Control unit subassembly, Cellular communication modules B440, B442, B443.(+7).

Control unit subassembly, Cellular communication module B441.(+8).

Subassembly, Model B46 Communicator Status Indicator (+10).

Model B465 Connettix Universal Dual Path Communicator (+10)

+ - Complementary Listed to ALVY, AMCX, APAW, APOU, NBSX, UOXX, UTOU.

(++) - Complementary Listed to UOJZ, AMCX, APOU, ALVY, APAW, UTOU, NBSX.

(+++) Complementary Listed to APOU,AMCX, UTOU, NBSX, APAW.

(+4) Complementary Listed to APOU, APOU7, AMCX, AMCX7, UTOU, UTOU7, NBSX, NBSX7, APAW, APAW7, ANET, AMTB, AOTX7.

(+5) Complementary Listed to UOJZ, AMCX, AMCX7, APAW, APAW7, AOTX7, APOU, APOU7, UTOU, NBSX, AMTB, ANET.

(+6) Complementary Listed under AMCX, AMCX7, AMTB (ANSI/SIA CP-01-2010), ANET, AOTX7, APAW, APAW7, APOU, APOU7, NBSX, NBSX7, UTOU, UTOU7.

(+7) Complementary Listed under AMCX, AMCX7, AMTB, ANET, AOTX7, APAW, APAW7, APOU, APOU7, NBSX, NBSX7, UTOU, UTOU7, UOJZ, ANSI/SIA CP-01-2010.

(+8) Complementary Listed under AMCX, AMTB, ANET, APAW, APOU, NBSX, UTOU, ANSI/SIA CP-01-2010.

(+9) Complementary Listed to APOU, APOU7, AMCX, AMCX7, UOJZ, UTOU, UTOU7, NBSX, NBSX7, APAW, APAW7, ANET, AMTB, AOTX7.

(+10) Complementary Listed under AMCX, AMCX7, AMTB, ANET, AOTX7, APAW, APAW7, APOU, APOU7, NBSX, NBSX7, UTOU, UTOU7, UOXX, ANSI/SIA CP-01-2010.



radionics



detection systems

Trademark and/or Tradename: "Safecom"

Last Updated on 2015-08-11

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2015 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2015 UL LLC".