TO WHOM IT MAY CONCERN



Bosch Security Systems Torenallee 49 5617 BA Eindhoven The Netherlands

BT-SC 2018-E-054

Product Test Report

Products

FLEXIDOME indoor 3100i (IR)

F.01U.406.608	NDI-3702-A	Fixed dome 2MP 3.3-10.2mm
F.01U.406.607	NDI-3702-AL	Fixed dome 2MP 3.3-10.2mm IR
F.01U.406.610	NDI-3703-A	Fixed dome 5MP 3.3-10.2mm
F.01U.406.609	NDI-3703-AL	Fixed dome 5MP 3.3-10.2mm IR
F.01U.427.709	NDI-3702-A-IO	Fixed dome 2MP 3.3-10.2mm I/O

The above mentioned Bosch Security Systems products have been tested in accordance and were found to comply with the tests listed below which were carried out during the development phase of the product.

EMC approvals

EMC EU	Description
EN 55032:2015 +A11:2020 (Class A)	Information Technology Equipment- Radio disturbance characteristics Limits and Methods of measurement. Class A
EN 55035: 2017 +A11: 2020	Electromagnetic compatibility of multimedia equipment - Immunity requirements
IEC 61000-4-2: 2008	Electromagnetic compatibility (EMC) - Part 4-2: Testing and measurement techniques - Electrostatic discharge immunity test
IEC 61000-4-3: 2020 (Ed. 4.0)	Electromagnetic Compatibility (EMC) - Part 4-3 : Testing And Measurement Techniques - Radiated, Radio- Frequency, Electromagnetic Field Immunity Test
IEC 61000-4-4: 2012	Electromagnetic compatibility (EMC) - Part 4-4: Testing and measurement techniques - Electrical fast transient/burst immunity test
IEC 61000-4-5: 2014 + A1: 2017	Electromagnetic compatibility (EMC) - Part 4-5: Testing and measurement techniques - Surge immunity test

BOSCH and the symbol are registered trademarks of Robert Bosch GmbH, Germany



IEC 61000-4-6: 2013 + COR1: 2015	Electromagnetic compatibility (EMC) - Part 4-6: Testing and measurement techniques - Immunity to conducted disturbances, induced by radio-frequency fields
IEC 61000-4-8: 2009	Electromagnetic Compatibility (EMC) - Part 4-8: Testing And Measurement Techniques - Power Frequency Magnetic Field Immunity Test
EMC US	
FCC 47 CFR Part 15 Subpart B Class A ICES-003 Issue 7-2020	Telecommunication Chapter I - FEDERAL COMMUNICATIONS COMMISSION, Subchapter B – Unintentional Radiators, Part 15 - RADIO FREQUENCY DEVICES
	Spectrum Management and Telecommunications Policy Interference-Causing Equipment Standard
EMC Australia	
AS/NZS CISPR 32: 2015 + A1: 2020, Class A	Electromagnetic compatibility of multimedia equipment - Emission requirements
EMC Japan	
VCCI-CISPR 32: 2016, Class A	EMC certification for Japan.
EMC United Kingdom	
UKCA, Class A	Declaration of Conformity for UKCA
EMC Saudi Arabia	
SASO	EMC certification for Saudi Arabia
EMC Morocco	
СМІМ	Conformity Mark for Electronics and Electro technical Products
EMC India	
BIS: IS 13252 (Part 1):2010	EMC certification for India



Safety approvals

Safety EU	
EN IEC 62368-1:2020/A11:2020	Audio/video, information and communication technology equipment -
	Part 1: Safety requirements.
Safety USA + Canada	
UL 62368-1, 3rd Ed, 2021-10-22	Audio/video, information and communication technology equipment -
CAN/CSA C22.2 No. 62368-1:19, 3rd Ed, 2021-10-22	Part 1: Safety requirements.
IR lighting (IR model only)	
IEC 62471	Photobiological safety of lamps and lamp systems

Environmental approvals

Directive or standard	Description
RoHS EU, 2011/65/EU	Restriction of the use of certain hazardous substances (RoHS)
EN 50581:2012	
EN IEC 63000	Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances
WEEE EU, 2012/19/EU	Waste Electrical and Electronic Equipment (WEEE)
Packaging EU, 94/62/EC	Packaging and packaging waste
(amended by 2014/12/EC)	
N2580-1	Central directive Bosch-Norm N 2580-1: "Prohibition and declaration
(Bosch standard)	of substances"
	Bosch-Norm N 2580-1 regulates prohibited substances and those
	rated declarable in materials, and it is part of the requirements for
	materials.
N33 6	Design for Environment (DfE): Design and manufacturing rules.
(Bosch standard)	

Management system

Directive or standard	Description
ISO 9001:2015	Quality management systems – Requirements
	Scope: Development, Production, Installation and Sales.
ISO 14001:2015	Environmental management systems – Requirements with guidance
	for use
	Scope: Development, Production, Sales and After Sales.



Reliability tests

Dry heat (Operational) (EN 60068-2-2:2007)	Temperature +45°C, Duration 16 hours.
Cold operation (Operational) (EN 60068-2-1:2007)	Temperature -5°C, Duration 16 hours.
Cold start (EN 60068-2-1:2007)	Temperature -5°C, Duration 4 hours.
Damp heat, cyclic (Operational) (EN 60068-2-30:2005)	Temperature +25°C to +40°C, Relative Humidity 93%, 2 cycles.
Shock (Operational) (EN 60068-2-27:2009)	Halve sine wave pulse, duration 6ms, 3 pulses per direction, 6 directions.
Vibration sinusoidal (Operational) (EN 60068-2-6:2008)	Frequency Range 10~150Hz, 5 m/s², 3 axes, Sweep rate 1 octave/min, 1 sweep/axis.
Vibration sinusoidal (Endurance) (EN 60068-2-6:2008)	Frequency Range 10~150Hz, 10 m/s², 3 axes, Sweep rate 1 octave/min, 20 sweep/axis.

Additional Reliability tests

Environmental test methods	Specific Test description
MTBF calculation of used components	Based on Telcordia Issue 4 Theoretical MTBF is about 700000 hours.
HALT (Highly Accelerating Life Test)	Overstress test to Fail, Operational, Lower Of Limitation = -80°C, High Of Limitation = +100°C, Vibration OL > 17.5Grms Combined Environment Stress: Temperature -80°C to +90°C, 3 Grms to 17.5 Grms.
Transport tests acc. AV18-Q0681 ISTA-2A: 2011	
1. Conditioning	Pre-conditioning: Temp. +25°C ±3°C, 55% ±20% RH, Duration 6 hours. Conditioning: Temp. +38°C, 85%RH, Duration 72 hours. Temp. +60°C, 30%RH, Duration 6 hours.
2. Compression	Weight & Load Spender: Increase the load unit it reaches the test load. Maintain the force for a designated duration, then release the force. Test load (AR): 273 kg. Test duration: 1 press



3. First vibration test	Frequency: random, 1~200 Hz. 3 axes * each axis continue 30
	minutes
4. Drop test after 1st vibration test	Height depending of weight of product.
	Drop height (mm): 970; drop times: 10

Image performance	Specific Test description
IEC 62676-5	Video surveillance systems for use in security applications - Part 5:
	Data specifications and image quality performance for camera devices

<u>ONVIF</u>

Conformance	Specific Test description
EN 50132-5-2	Alarm systems - CCTV surveillance systems for use in security
	applications - Part 5-2: IP Video Transmission Protocols
EN 62676-2	Video surveillance systems for use in security applications

Data subject to change without notice. Eindhoven, Jan, 2025