

TC9200 Series Indoor Camera Mounts

www.boschsecurity.com



BOSCH
Invented for life



- ▶ Sturdy Construction
- ▶ Attractive Appearance
- ▶ Versatile Design
- ▶ Adjustable
- ▶ Wide Selection of Styles


The TC9200 Series Indoor Camera Mounts can be used with CCD cameras with fixed and varifocal lenses. These sturdy, attractive mounts have fully adjustable mount heads and standard 1/4-20 camera mounting bolts. Maximum load capability ranges from 2 kg (4.4 lb) to 10 kg (22 lb). These versatile models can be used as pedestal, wall, or ceiling mounts and are well suited for use with CCD cameras.

Functions

Model TC9208 is an economical 200 mm (8 in) general purpose mount for loads of up to 4 kg (8.8 lb). It has an aluminum finish and an adjustable sleeve ball mounting clamp for camera position adjustments. The TC9212 model is an extendible wall mount with a range of length from 244 mm to 414 mm (9.6 in to 16.3 in). It can accommodate loads of up to 10 kg (22 lb) in both the short and the fully extended configurations and features a quick release screw head for ease of camera positioning. The TC9210U indoor mount is configured for mounting cameras in indoor applications. It accommodates loads of up to 4.5 kg (10 lb) and is constructed of aluminum and steel, providing extremely rigid camera mounting.


Featuring threaded extensions, this unit can be configured to three different lengths and is easily installed with the included mounting hardware. This unit can be used with many model CCD cameras.

Installation/configuration notes




TC9208 Indoor Camera Mount

| | |
|---------------|-------------------------------|
| Maximum Load | 4 kg (8.8 lb) |
| Mounting Head | Adjustable 360° pan, 90° tilt |
| Mounting Bolt | Standard 1/4-20 |
| Finish | Aluminum |
| Weight | 230 g (0.44 lb) |





TC9212 Indoor Camera Mount

| | |
|---------------|-------------------------------|
| Maximum Load | 10 kg (22 lb) |
| Mounting Head | Adjustable 360° pan, 90° tilt |
| Mounting Bolt | Standard 1/4-20 |
| Finish | Aluminum and black |
| Weight | 510 g (1.1 lb) |





TC9210U Indoor Camera Mount

| | |
|--------------------------|--------------------------------|
| Maximum Load | 4.5 kg (10 lb) |
| Mounting Head | Adjustable 360° pan, 180° tilt |
| Finish | Off-white semi-gloss acrylic |
| Weight: | |
| With Wall/Ceiling Flange | 291 g (0.64 lb) |
| With T-Bar Clip | 245 g (0.54 lb) |



Wall/Ceiling Mount Flange, Included with TC9210U Solid Wall/Ceiling Mount



T-Bar Ceiling Clip

Included with TC9210U Solid Wall/Ceiling Mount.

Ordering information

TC9208 Indoor Camera Mount

general purpose mount, for 8-inch, 4 kg (8.8 lb) max load, aluminum finish
Order number **TC9208**

TC9201 Indoor Camera Mount

deluxe general purpose mount, for 8-inch, 9 kg (20 lb) max load, black finish
Order number **TC9201**

TC9212 Indoor Camera Mount

extendible wall mount, for 9.6-inch to 16.3-inch, 10 kg (22 lb) max load, aluminium/black finish
Order number **TC9212**

TC9203 Indoor Camera Mount

universal wall/ceiling mount, right angle, 10 kg (22 lb) max load, aluminium/black finish
Order number **TC9203**

TC9205 Indoor Camera Mount

for 5-inch, 2 kg (4.4 lb) max load, aluminum finish
Order number **TC9205**

TC9210U Indoor Camera Mount

universal wall/ceiling grid, for 6-inch, 4.5 kg (10 lb) max load, off-white finish, incl. T-Bar ceiling clip and wall/ceiling mount flange
Order number **TC9210U**

TC9207 Indoor Camera Mount

for 7-inch, 4 kg (8.8 lb) max load, aluminum/off-white finish
Order number **TC9207**

TC9210US Indoor Camera Mount

universal wall/ceiling grid, for 6-inch, 4.5 kg (10 lb) max load, off-white finish, incl. T-Bar ceiling clip and wall/ceiling mount flange, silver
Order number **TC9210US**

Represented by:

Americas:

Bosch Security Systems, Inc.
130 Perinton Parkway
Fairport, New York, 14450, USA
Phone: +1 800 289 0096
Fax: +1 585 223 9180
security.sales@us.bosch.com
www.boschsecurity.us

Europe, Middle East, Africa:

Bosch Security Systems B.V.
P.O. Box 80002
5617 BA Eindhoven, The Netherlands
Phone: + 31 40 2577 284
Fax: +31 40 2577 330
emea.securitysystems@bosch.com
www.boschsecurity.com

Asia-Pacific:

Robert Bosch (SEA) Pte Ltd, Security Systems
11 Bishan Street 21
Singapore 573943
Phone: +65 6571 2808
Fax: +65 6571 2699
apr.securitysystems@bosch.com
www.boschsecurity.asia

China:

Bosch (Shanghai) Security Systems Ltd.
201 Building, No. 333 Fuquan Road
North IBP
Changning District, Shanghai
200335 China
Phone +86 21 22181111
Fax: +86 21 22182398
www.boschsecurity.com.cn

America Latina:

Robert Bosch Ltda Security Systems Division
Via Anhanguera, Km 98
CEP 13065-900
Campinas, Sao Paulo, Brazil
Phone: +55 19 2103 2860
Fax: +55 19 2103 2862
latam.boschsecurity@bosch.com
www.boschsecurity.com